

Therapeutic Category (per AHFS)	CTP holder MAY prescribe	Physician initiated/consulted (formal documentation required in the patient record)	CTP holder MAY NOT prescribe
Antihistamines	X		
Anti-infective Agents			
Anthelmintics	X		
<i>Antibacterials</i>			
Aminoglycosides	Oral	Parenteral; nebulized	
Bacitracins	X		
Carbapenems; monobactams	X		
Cephalosporins	X		
Chloramphenicol			X
Colistimethate	X		
Daptomycin		X (with Infectious Disease management)	
Folate Antagonists	X		
Leprostatics		X	
Lincosamides			X
Clindamycin	X		
Linezolid		X (with Infectious Disease management)	
Lipoglycopeptides			X
Macrolides; ketolides	X		
Metronidazole	X		
Methenamines	X		
Nitrofurans	X		
Penicillins	X		
Polymyxins	X		
Quinolones	X		
Rifamycins		X	
Streptogramins		X (with Infectious Disease management)	
Sulfonamides	X		
Tetracyclines	X		
Vancomycin	PO	Parenteral	
Antifungals	PO; topical	Parenteral	
Antituberculosis agents	PO	Parenteral	
<i>Antivirals</i>			
Adamantanes	X		
Antiherpes virus agents	PO; topical	Parenteral	
Antiretroviral agents	Post exposure prophylaxis	X	
Anti Hepatitis C agents	X	combinations including interferon	
-sofosbuvir/velpatasvir (Epclusa)		X	
Interferons		X	
Miscellaneous antiviral agents	PO	Parenteral	
Monoclonal antibodies (palivizumab)		X	
Neramidase inhibitors	X		
<i>Antiprotozoals</i>			
Amebicides	X		
Antimalarials	X		
Miscellaneous antiprotozoals	X		
Antineoplastics			
Alkylating agents			X
Anthracedione			X
Anthracyclines			X
Anti-HER2			X
Antiandrogens			X
Antibiotics			X
Antimetabolites			X
Antimitotic agents			X
Aromatase Inhibitors		X	
Cytoprotective Agents			X
DNA Methylation Inhibitors			X
Estrogen Receptor Antagonists		X	
Gonadotropin-Releasing Hormone Agonists			X
Gonadotropin-Releasing Hormone Antagonists			X
Hedgehog Pathway Inhibitor			X
Histone Deacetylase Inhibitors			X
Hormones			X
Hormone Antagonist			X
Kinase Inhibitors			X
Monoclonal antibodies			X
Natural Source Derivative			X

Therapeutic Category (per AHFS)	CTP holder MAY prescribe	Physician initiated/consulted (formal documentation required in the patient record)	CTP holder MAY NOT prescribe
Platinum Analogs			X
Podophyllotoxins			X
Proteasome Inhibitors			X
Protein Synthesis Inhibitor			X
Taxane Derivative			X
Thalidomide analogues		X	
Topoisomerase Inhibitors			X
Panobinostat, Venclexta			X
Autonomic Drugs			
<i>Parasympathetic agents</i>			
Antiparkinson agents	X		
Antimuscarinic/antispasmodics	X		
<i>Sympathomimetic agents (vasopressors used in shock)</i>			
Alpha Agonists		X	
Beta Agonists		X	
Alpha/Beta Agonists		X	
<i>Skeletal muscle relaxants</i>			
Centrally acting agents	X		
Direct acting agents	X		
GABA-derivative agents	X		
<i>Neuromuscular blocking agents</i>			X
<i>Neuromuscular blocking reversal agents</i>			X
Botulinum Toxin Type A		X (for chronic migraine)	
Botulinum Toxin Type B		X	
Blood Derivatives including PRBC, FFP (refer to rule 4730-2-06)		X	
Blood Formation, Coagulation, and Thrombosis			
<i>Antianemia drugs</i>			
Iron preparations	PO	Parenteral	
Liver and stomach preparations	PO	Parenteral	
<i>Antithrombotic agents</i>		X (Provider should consider risk vs benefit in patients with known ASD/VSD)	
- Defitelio			X
<i>Anticoagulants</i>			
Coumarin derivatives	X		
Direct thrombin inhibitors		X	
Factor Xa inhibitors		X	
Heparins (includes low molecular weight heparins)	Sub-Q	Parenteral	
<i>Platelet-aggregation inhibitors</i>			
Aspirin, dipyridamole, clopidogrel	X		
Non-thienopyridines		X	
Glycoprotein inhibitors		X	
<i>Thrombolytic agents</i>		by protocol for catheter care, PICC or Central Line	X
<i>Anticoagulant Reversal Agents</i>		X	
<i>Hematopoietic agents</i>			
Colony-stimulating factors		X physician initiated per protocol	
Erythropoiesis-stimulating agents	X		
Platelet-stimulating agents		X physician initiated by protocol in hematology/oncology settings	
Interleukins			X
<i>Hemorrhologic agents</i>			X
<i>Antihemorrhagic agents</i>			
Antiheparin agents		X	
Hemostatics	Topical	Parenteral; oral; nasal	
Cardiovascular Drugs			
ACLS medications per resuscitation protocol	X (ACLS certified)		
<i>Antiarrhythmic agents:</i>			
Adenosine		X	
Amiodarone		X	
<i>Calcium channel blockers</i>			
Verapamil/diltiazem	PO	Parenteral	
Disopyramide			X
Dofetilide			X
Dronedarone		X	
Flecainide		X	

Therapeutic Category (per AHFS)	CTP holder MAY prescribe	Physician initiated/consulted (formal documentation required in the patient record)	CTP holder MAY NOT prescribe
Ibutilide			X
Lidocaine		X	
Mexiletine			X
Procainamide		X	
Propafenone		X	
Quinidine		X	
Sotalol	PO	X	
<i>Cardiotonic (inotropic) agents</i>			
digoxin oral	X		
digoxin injection		X	
midrodriane		X	
Apo-B antisense oligonucleotide		X	
<i>Hypotensive agents</i>			
Alpha adrenergic blockers	PO	Parenteral	
Beta adrenergic blockers	PO	Parenteral	
Calcium channel blockers	PO	Parenteral	
Central/peripheral adrenergic inhibitors	PO	Parenteral	
<i>Direct vasodilators</i>			
Hydralazine	PO	Parenteral	
Minoxidil		X	
Peripheral vasodilator combinations	X		
Treprostinil			X
<i>Diuretics</i>	PO		
<i>Renin-angiotensin-aldosterone system inhibitors</i>			
ACE inhibitors	PO	Parenteral	
ARBs	X		
Aldosterone receptor antagonists	X		
Renin inhibitors	X		
<i>Miscellaneous anti-hypertensives</i>			
Antihypertensive combinations	X		
Agents for pheochromocytoma		X	
Agents for hypertensive emergencies		X	
<i>Vasodilating agents</i>			
Bosentan			X
Epoprostenol			X
Iloprost			X
Isoxsuprine			X
Nesiritide		X	
Nitrates	PO; topical	Parenteral	
Papaverine		X (Intracavernosal Inj of Phentolamine, Papaverine, or Phenylephrine)	X
Phosphodiesterase inhibitors (pulmonary hypertension)		X	
Riociguat			X
<i>Sclerosing agents</i>		X	
<i>Miscellaneous cardiovascular agents (ranolazine)</i>		X	
<i>Cholesterol/Lipid Agents</i>	X (PO)	X (SQ)	
<i>Pulmonary Arterial Hypertension</i>		X	
Central Nervous System Agents			
<i>General anesthetics: Barbiturates, gases, volatile liquids Includes propofol, dexmedetomidine</i>			X

Therapeutic Category (per AHFS)	CTP holder MAY prescribe	Physician initiated/consulted (formal documentation required in the patient record)	CTP holder MAY NOT prescribe
Opioids for treatment of drug addiction: CTP holder may not prescribe an opioid for the treatment of drug addiction. Federal law requires that opioids for the treatment of drug addiction be prescribed by physicians only.			No
NOTE restrictions in the law regarding ANY/ALL Schedule II drugs:			
Schedule II drugs may only be prescribed ONLY IF:			
1) The patient is in a terminal condition (as defined in ORC 2133.01); AND 2) The physician assistant's supervising physician initially prescribed the substance for the patient; AND 3) The prescription is for an amount that does not exceed the amount necessary for the patient's use in a single twenty-four-hour period.			
The restrictions on prescriptive authority in division (A) of this section do not apply if a physician assistant issues the prescription to the patient from any of the following locations:			
(1) A hospital registered under section 3701.07 of the Revised Code; (2) An entity owned or controlled, in whole or in part, by a hospital or by an entity that owns or controls, in whole or in part, one or more hospitals; (3) A health care facility operated by the department of mental health or the department of developmental disabilities; (4) A nursing home licensed under section 3721.02 of the Revised Code or by a political subdivision certified under section 3721.09 of the Revised Code; (5) A county home or district home operated under Chapter 5155. of the Revised Code that is certified under the medicare or medicaid program; (6) A hospice care program, as defined in section 3712.01 of the Revised Code; (7) A community mental health agency, as defined in section 5122.01 of the Revised Code; (8) An ambulatory surgical facility, as defined in section 3702.30 of the Revised Code; (9) A freestanding birthing center, as defined in section 3702.51 of the Revised Code; (10) A federally qualified health center, as defined in section 3701.047 of the Revised Code; (11) A federally qualified health center look-alike, as defined in section 3701.047 of the Revised Code; (12) A health care office or facility operated by the board of health of a city or general health district or the authority having the duties of a board of health under section 3709.05 of the Revised Code; (13) A site where a medical practice is operated, but only if the practice is comprised of one or more physicians who also are owners of the practice; the practice is organized to provide direct patient care; and the physician assistant has entered into a supervisory agreement with at least one of the physician owners who practices primarily at that site.			
A physician assistant shall not issue to a patient a prescription for a schedule II controlled substance from a convenience care clinic even if the clinic is owned or operated by an entity specified in Section 4730.411 (B) ORC.			
<i>Analgesics</i>	<i>See Schedule II Restrictions and Introductory Comments</i>		
Schedule II Analgesics	X 7 day maximum for initial therapy with a schedule II medication/ Institutional setting per institutional standards	X CTP holders initiating therapy with a schedule II medication for more than a 7 day supply	
Opioids (non schedule II) DEA REGISTRATION REQUIRED	X		
Narcotic analgesic combinations, including mixtures with codeine: DEA REGISTRATION REQUIRED	X		
Narcotic Agonist-Antagonist Analgesics: DEA REGISTRATION REQUIRED	X		
Analgesics: non-scheduled drugs	X		
Buprenorphine	Analgesia only		Sublingual
NSAIDs	X		
Miscellaneous Analgesics: Ziconotide			X
<i>Anticonvulsants</i>			
<i>Barbiturates</i>	X	When prescribed as anticonvulsants these drugs must be physician initiated. CTP holder may prescribe for all other approved uses.	
<i>Benzodiazepines</i>	X		
<i>Hydantoins</i>	X	When prescribed as anticonvulsants these drugs must be physician initiated. CTP holder may prescribe for all other approved uses.	

<u>Therapeutic Category (per AHFS)</u>	<u>CTP holder MAY prescribe</u>	<u>Physician initiated/consulted (formal documentation required in the patient record)</u>	<u>CTP holder MAY NOT prescribe</u>
Succinimides	X	When prescribed as anticonvulsants these drugs must be physician initiated. CTP holder may prescribe for all other approved uses.	
<i>Miscellaneous Anticonvulsants</i>			
Carbamazepine; oxcarbamazepine; Magnesium sulfate; acetazolamide	X	When prescribed as anticonvulsants these drugs must be physician initiated. CTP holder may prescribe for all other approved uses.	
Brivacetam (Briviact)		X	
Adjuvant anticonvulsants: Eslicarbazepine; Felbamate; Gabapentin; Lamotrigine; Pregabalin; Levetiracetam; Tiagabine; Topiramate; Vigabatrin; Valproic acid and derivatives	X	When prescribed as anticonvulsants these drugs must be physician initiated. CTP holder may prescribe for all other approved uses.	
<i>Psychotherapeutic agents</i>			
<i>Antidepressants</i>			
Dopamine reuptake inhibitors	X		
MAO inhibitors			X
Serotonin & norepinephrine reuptake inhibitors (SNRI)	X		
SSRIs	X		
Serotonin modulators	X (trazodone for sleep)	X	
Tricyclic compounds	X		
Tetracyclic compounds	X		
<i>Antipsychotics</i>		X	
<i>Anorexic agents</i>			X
A physician must prescribe in accordance with medical board rules: http://www.med.ohio.gov/rules/current/11-04.htm			X
Chronic Weight Management Medications per Rule 4731-11-04.1		X	
Naltrexone/bupropion		X	
<i>Appetite Stimulants</i>			
<i>megestrol; dronabinol</i>	X		
<i>Respiratory/Cerebral Stimulants</i>			
Caffeine		X	
Doxapram			X
Modafinil		X	
Sodium oxybate			X
Amphetamines; Methylphenidate		X	
<i>Anxiolytics, sedatives, and hypnotics</i>	X		
<i>Barbiturates</i>			
Long-acting		X	
Intermediate-acting			X
Short-acting			X
Oral combinations			X
<i>Benzodiazepines DEA REGISTRATION REQUIRED</i>	X		
<i>Miscellaneous antianxiety and hypnotic agents DEA REGISTRATION REQUIRED</i>	X		
Chloral hydrate		X	
Eszopiclone	X		
Paraldehyde		X	
Ramelteon	X		
Zaleplon	X		
Zolpidem	X		
<i>Antimanic agents (lithium)</i>		X	
<i>Antimigraine agents</i>	X		
<i>Antiparkinsonian agents</i>			
<i>Anticholinergics</i>	X		
<i>COMT Inhibitors</i>	X		
<i>Dopamine agonists</i>	X		
<i>Dopamine precursors</i>	Oral	Intestinal infusion	
MAO-B inhibitors		X	
<i>Miscellaneous CNS Agents</i>			
Cholinesterase inhibitors	X		
NMDA receptor antagonists	X		

<u>Therapeutic Category (per AHFS)</u>	<u>CTP holder MAY prescribe</u>	<u>Physician initiated/consulted (formal documentation required in the patient record)</u>	<u>CTP holder MAY NOT prescribe</u>
Contraceptives (foams, devices)	X		
Diagnostic Agents			
<i>In vitro</i> diagnostic aids	X		
<i>In vivo</i> diagnostic aids	X		
<i>In vivo</i> diagnostic biologicals	X		
Radiopaque agents	X		
Gadolinium - containing agents		X	
Tilmanocept		X	
Electrolytic, caloric and water balance			
Acidifying agents	PO		
Alkalinizing agents	PO	Parenteral	
Ammonia detoxicants		X	
Replacement preparations	PO; parenteral (in a hospital setting, per hospital policy)	Parenteral (all other settings)	
Iron-removing agents		PO	Parenteral
Calcium-removing agents			X
Potassium-removing agents	X		
Phosphate-removing agents	X		
Caloric agents (TPN; enteral nutrition)		X	
Dialysis solutions			
Peritoneal dialysis		X	
Hemodialysis		X	
Enzymes	PO	Parenteral	
Respiratory Tract Agents			
Antihistamines	X		
Antitussives (narcotic/non-narcotic)	X		
Anti-Inflammatory agents	X		
Corticosteroids (nasal/inhaled)	X		
Leukotriene modifiers	X		
Mast-cell stabilizers	X		
Bronchodilators	PO/Inhaled		
Expectorants	X		
Mucolytic agents		X	
Monoclonal Antibodies, Cinqair (reslizumab)		X	
Surfactants		X (with Neonatology management)	
Vasodilating agents		X	
EENT Preparations			
Antiallergic agents	X		
Anti-infectives			
Antibacterials	X		
Antifungals			X
Antivirals			X
Anti-inflammatory agents			
Corticosteroids		X	
NSAIDs		X	
Ophthalmology			
Contact lens products	X		
Local anesthetics	X		
Mydriatics	X		
Mouthwashes and gargles	X		
Vasoconstrictors (decongestants)	X		
Antiglaucoma agents		X	
Miscellaneous EENT agents	X		
Cyclosporine ophthalmic emulsion		X	
Ocular lubricants (artificial tears)	X		
Ophthalmic collagen implants			X
Ophthalmic diagnostic products (fluorescein)	X		
Ophthalmic hyperosmolar preparations			X
Ophthalmic non-surgical adjuncts	X		
Ophthalmic phototherapy			X
Ophthalmic punctal plugs			X
Ophthalmic surgical adjuncts			X
Otic preparations	X		
Selective vascular endothelial growth factor antagonists			X
Gastrointestinal Drugs			

Therapeutic Category (per AHFS)	CTP holder MAY prescribe	Physician initiated/consulted (formal documentation required in the patient record)	CTP holder MAY NOT prescribe
5-aminosalicylic acid derivatives	X		
5-HT3 receptor antagonists	X		
Anorectal preparations	X		
Antacids and adsorbents	X		
Anticholinergic/antispasmodics	X		
Antidiarrhea agents	X		
octreotide		X (carcinoid syndrome)	
crofelemer		X	
Antiemetics	X (for antiemetic purposes)		
Antiflatulents	X		
Antihistamines	X		
Anti-inflammatory agents			
<i>Antiulcer agents and acid suppressants</i>			
Cathartics and laxatives	X		
Cholelitholytic agents		X	
Digestants	X		
Emetics		X	
H2 antagonists	X		
Lipase inhibitors	X		
Lipotropic agents	X		
Miscellaneous antiemetics (aprepitant)		X	
<i>Miscellaneous gastrointestinal agents</i>			
Bile Acid Synthesis Agents, Ocaliva (obeticholic acid)		X	
Enzyme Replacement Therapy			X
<i>Peripheral opioid antagonists</i>			
alvimopan			X
methylnaltrexone		X	
Prokinetic agents	X		
Prostaglandins	X		
Protectants	X		
Proton pump inhibitors	X		
TNF blockers		X	
Hormones and Synthetic Substitutes			
<i>Adrenals</i>			
Corticotropins			X
Glucocorticoids	X		
Mineralocorticoids		X	
Adrenal steroid inhibitors			X
Androgens		X	
Bone resorption inhibitors	X (oral)	X (IV, SQ)	
Contraceptives	X		
Estrogens and Antiestrogens	X		
Gonadotropins	X		
Antidiabetic agents	X		
Amylin analogs	X		
Alpha-glucosidase inhibitors	X		
Biguanides	X		
Dipeptidyl peptidase IV inhibitors	X		
Dopamine agonists	X		
Glucagon-like peptide-1 agonists	X		
Insulin	SubQ	IV infusion; inhaled	
Meglitinides	X		
Sodium-glucose cotransporter inhibitors		X	
Sulfonylureas	X		
Thiazolidinediones	X		
Rosiglitazone			X
Antihypoglycemic agents	X		
Parathyroid		X	
Calcitonin	Nasal	Parenteral	
Pituitary (includes DDAVP)	X (primary nocturnal enuresis only)		X
Somatotropin agonists (growth hormone)			X
Somatotropin antagonists			X
Progestins	X	Parenteral	
Thyroid agents	X		
Anti-thyroid agents		X	

Therapeutic Category (per AHFS)	CTP holder MAY prescribe	Physician initiated/consulted (formal documentation required in the patient record)	CTP holder MAY NOT prescribe
<i>Miscellaneous hormones and synthetic substitutes</i>			
Agalsidase beta			X
Alglucosides alfa			X
Betaine anhydrous			X
Bromocriptine	X		
Cabergoline			X
Calcium receptor agonist		X	
Cysteamine bitartrate			X
Galsulfase			X
Laronidase			X
Miglustat			X
Nitisinone			X
Somatostatin analogs			X
Urea cycle disorder agents			X
Vasopressin receptor antagonists		X	
Local anesthetics	X		
Oxytocics			X
Immune Globulin Therapy		X	
Serums, toxoids and vaccines			
<i>Serums</i>		X	
<i>Toxoids (antitoxin, antivenin)</i>	X		
- Anthim (obiltoximab)			X
<i>Vaccines</i>	X		
Skin and Mucous Membrane Agents			
<i>Anti-infectives</i>	X		
Scabicides/pediculicides	X		
Biologic response modifiers, Taltz (ixekizumab)		X	
<i>Anti-inflammatory agents</i>	X		
<i>Antipruritics and local anesthetics</i>	X		
<i>Cell stimulants and proliferants (retinoids)</i>			
Adapalene	X		
<i>First generation retinoids</i>			
Isotretinoin		X	
Tretinoin topical	X		
<i>Second generation retinoids</i>			
Acitretin			X
Alitretinoin			X
Tazarotene	X		
<i>Emollients, demulcents, and protectants</i>	X		
<i>Keratolytic agents</i>	X		
<i>Keratoplastic agents</i>	X		
<i>Depigmenting agents</i>	X		
<i>Pigmenting agents</i>	X		
<i>Sunscreen agents</i>	X		
<i>Miscellaneous skin and mucous membrane agents</i>			
Aminolevulinic acid		X (physician must apply blue light after application of medication)	
Brimonidine	X		
Collagenase	X		
Counterirritants	X		
Hyaluronidase	X		
Lipolytics		X	
Immunomodulators (topical)	X		
Irrigating solutions	X		
Macitentan		X (physician must apply UV light after application of medication)	
Mechlorethamine		X	
Minoxidil	X		
Pyrimidine antagonists (5-FU) topical	X		
Renal & Genitourinary Agents			
5 alpha reductase inhibitors	X		
Alpha 1 antagonists	X		
Anticholinergics	X		
Beta 3 agonist	X		
Cellulose sodium phosphate	X		
Cystine depleting agents	X		
Genitourinary irrigants	X		

Therapeutic Category (per AHFS)	CTP holder MAY prescribe	Physician initiated/consulted (formal documentation required in the patient record)	CTP holder MAY NOT prescribe
Hypoactive Sexual Desire Disorder (HSDD/premenopausal)		X	
Impotence agents	PO	Parenteral; Other routes of administration	
Urinary acidifiers	X		
Urinary alkalinizers	X		
Urinary analgesics	X		
Urinary cholinergics	X		
Uterine relaxants			X
Vaginal preparations	X		
Vitamins	PO	Parenteral	
<i>Miscellaneous Therapeutic Agents</i>			
Agents for patent ductus arteriosus		X	
Alcohol deterrents	X		
Naloxone for Individual at Risk of Opioid-Related Overdose			
<p>(A) Notwithstanding any provision of this chapter or rule adopted by the state medical board, a physician assistant who holds a certificate to prescribe issued under this chapter may personally furnish a supply of naloxone, or issue a prescription for naloxone, without having examined the individual to whom it may be administered if all of the following conditions are met:</p> <p>(1) The naloxone supply is furnished to, or the prescription is issued to and in the name of, a family member, friend, or other individual in a position to assist an individual who there is reason to believe is at risk of experiencing an opioid-related overdose.</p> <p>(2) The physician assistant instructs the individual receiving the naloxone supply or prescription to summon emergency services either immediately before or immediately after administering naloxone to an individual apparently experiencing an opioid-related overdose.</p> <p>(3) The naloxone is personally furnished or prescribed in such a manner that it may be administered by only either of the following routes:</p> <p>(a) Using a device manufactured for the intranasal administration of liquid drugs;</p> <p>(b) Using an autoinjector in a manufactured dosage form.</p> <p>(B) A physician assistant who under division (A) of this section in good faith furnishes a supply of naloxone or issues a prescription for naloxone is not liable for or subject to any of the following for any action or omission of the individual to whom the naloxone is furnished or the prescription is issued: damages in any civil action, prosecution in any criminal proceeding, or professional disciplinary action.</p>			
Antidotes	X Naloxone for resuscitation of narcotic overdose	X	
Antigout agents	X		
Biologic response modifiers			X
Bisphosphonates	X		
Cardioplegic solutions			X
CF transmembrane conductance regulator potentiator	X		
Complement inhibitors			X
Disease modifying antirheumatic agents, Inflectra (infliximab-dyyb)		X	
Epinephrine auto-injector	X		
Hyaluronic acid		X	
Immunomodulators			X
Immunosuppressive agents		X	
Impotence agents	PO	Parenteral	
<i>Multiple Sclerosis Agents</i>			
Immunomodulators			X
Immunosuppressive agents		X	
Interferons		X	
Monoclonal antibodies			X
Xgeva	X		
Potassium channel blockers			X
Opioid antagonists for addiction treatment			X
<i>IV solutions</i>			
D50 bolus for resuscitation	X		
Lactated ringers with or without dextrose	X		
Saline solution with or without dextrose	X		
Plasma expanders		X	
Oxygen	X		
Riluzole			X