

4730-2-06

Physician assistant formulary.

(A) This formulary, as contained in the attached Appendix, is established for individuals who hold a current, valid certificate to practice as a physician assistant and either a current, valid provisional certificate to prescribe or a certificate to prescribe issued by the board, and who have been authorized to prescribe pursuant to a board approved supervisory plan or the policies of the health care facility in which the physician assistant is practicing. The formulary does not authorize a physician assistant to prescribe any schedule II controlled substance or any drug or device used to perform or induce an abortion.

(B) For purposes of the physician assistant formulary:

(1) "CTP" means either a provisional certificate to prescribe or a certificate to prescribe issued by the board pursuant to section 4730.44 of the Revised Code.

(2) "CTP holder may not prescribe" means medications in the category may not be prescribed by any CTP holder for any indication.

(3) "CTP holder may prescribe" means medications in the category may be prescribed by any CTP holder as appropriate.

(4) "Physician initiated/consultation" means that either the supervising physician must initiate the drug after personally evaluating the patient or the physician assistant must consult with the supervising physician by direct, real time communication prior to initiating the drug.

(5) "Therapeutic device" means an instrument, apparatus, implement, machine, contrivance, implant, in vitro reagent, or other similar or related article, including a component part, or accessory which is intended to affect the structure or any function of the body and which does not achieve any of its primary intended purposes through chemical action within or on the body and which is not dependent upon being metabolized for the achievement of any of its primary intended purposes. Therapeutic device includes any device subject to regulation by the "Food and Drug Administration."

(C) All physician assistant prescribing shall be in compliance with the supervisory plan under which the physician assistant is prescribing or the policies of the health care facility in which the physician assistant is prescribing, as may be restricted by the supervising physician.

(D) All drugs and therapeutic devices shall be prescribed in accordance with the manufacturer's package insert, the "United States Pharmacopoeia," and the minimal standard of care.

(E) Drugs may be prescribed for purposes other than "Food and Drug Administration" indications when both of the following requirements are met:

- (1) The purpose is supported by current peer review literature, which emanates from a recognized body of knowledge; and
- (2) Prescribing for the purpose is authorized by the supervising physician under whom the physician assistant is prescribing or the policies of the health care facility in which the physician assistant is prescribing.
- (F) In order for a physician assistant to prescribe a combination medication, each component drug must be listed on the formulary as "CTP holder may prescribe" or the combination medication itself must be listed on the formulary as "CTP holder may prescribe."
- (G) For medications that are denoted "Physician initiated/consultation," both of the following requirements apply:

 - (1) The supervising physician's initiation of the drug or the prior consultation between the physician assistant and the supervising physician shall be documented in the patient record; and
 - (2) The physician assistant shall consult with the supervising physician before changing the dosage of the drug or before renewing a prescription when there is a change in patient status. The consultation shall be documented in the patient record.
- (H) A drug approved by the "Food and Drug Administration" subsequent to the effective date of this rule shall not be prescribed by a physician assistant until it is reviewed and added to the formulary.
- (I) The prescription of oxygen and plasma expanders is regulated by the Ohio state board of pharmacy and requires the physician assistant to hold a current, valid certificate to prescribe.
- (J) A physician assistant's prescription of therapeutic devices shall be in compliance with both of the following:

 - (1) The physician assistant may only prescribe a therapeutic device that has been approved by the "Food and Drug Administration" and which the supervising physician prescribes in the routine course of practice for the specific use approved by the "Food and Drug Administration;" and
 - (2) The physician assistant shall not prescribe a therapeutic device that federal or state statute, rule, or regulation prohibits the physician assistant from using.

Effective: 02/28/2008

R.C. 119.032 review dates: 02/28/2013

CERTIFIED ELECTRONICALLY

Certification

02/15/2008

Date

Promulgated Under: 119.03
Statutory Authority: 4730.39
Rule Amplifies: 4730.39, 4730.40, 4730.401

	CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation required in the patient record)
Antibiotics			
Penicillins		X	
Cephalosporins and related antibiotics		X	
Carbapenem; monobactams		X	
Chloramphenicol	X		
Quinolones; flouoroquinolones; tetracyclines; macrolides; spectinomycin; Ketolides		X	
Vancomycin		PO	IV
Lincosamides	X		
Clindamycin		X	
Aminoglycosides: parenteral; nebulized			X
Aminoglycosides: oral		X	
Colistimethate sodium;		X	
Polymyxin B sulfate; bacitracin			
Metronidazole		X	
Novobiocin	X		
Sulfonamides		X	
Nitrofurans		X	
Methenamines		X	
Folate antagonists		X	
Miscellaneous anti-infectives/antiseptics		X	
Antibiotic combinations		X	
Antifungal agents			
IV route of administration			X
PO; topical		X	
Antimalarial preparations		X	
Antituberculosal agents		PO	IV
Amebicides		X	
Antiviral agents:			
Foscarnet sodium; Ganciclovir; Valganciclovir		PO	IV
Anti-herpes Virus Agents			
Acyclovir; Famciclovir; Valacyclovir hydrochloride		PO	IV
Amantadine hydrochloride		X	
Cidofovir	X		
Ribavirin			X
Rimantadine		X	

Zanamivir		X	
Oseltamivir phosphate		X	
Adefovir dipivoxil			X
Entecavir			X
Antiretroviral agents			
Leprostatics			X
Antiprotazoals			X
Nitazoxanide		X	
Metronidazole		X	
Anthelmintics		X	
CDC anti-infective agents: not commercially available	X		
(2) ANTINEOPLASTIC AGENTS:	CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation required in the patient record)
Alkylating agents	X		
Estramustine (Emcyt)	X		
Antimetabolites	X		
Antimitotic agents	X		
Epipodophyllotoxins	X		
Antibiotics	X		
Hormones	X		
Androgens; Progestins; Estrogens; Estrogen/Nitrogen Mustard	X		
Antiandrogens:			
Antiandrogens: Biclutamide, Nilutamide	X		
Estramustine (Emcyt)	X		
Antiestrogens:			
Antiestrogens			X
Gonadotropin-Releasing Hormone Analog	X		
Hormones continued			
Aromatase Inhibitors			
Exemestane, Amastrozole, Letrozole			X
Enzymes	X		
Radiopharmaceuticals	X		
Platinum Coordination complex; Anthracenedione; Substituted ureas; Methylhydrazine derivatives; Cytoprotective Agents; DNA demethylation agents; Imidazotetrazine derivatives, Protein-tyrosine kinase inhibitors, DNA Topoisomerase inhibitors; Biological	X		

Epidermal growth factor receptor inhibitors: Gefitinib	X		
Proteasome inhibitors: Bortezomib	X		
(3) BIOLOGIC/ IMMUNOLOGIC AGENTS:	CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation required in the patient record)
Immune globulins		X	
Agents for primary Immune Deficiency (Vivaglobulin)			X
Monoclonal antibody			
Palivizumab (Synagis)			X
Antitoxins and antivenins		X	
Agents for active immunizations		X	
Allergenic extracts			X
Immunologic agents			
Immunostimulants			X
Immunosuppressives			X
Immunomodulators			X
Revlimid	X		
Antirheumatic agents			X
(4) CARDIOVASCULAR AGENTS:	CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation required in the patient record)
Inotropic agents		PO	IV
Antiarrhythmic agents:			
Calcium channel blocking agents		PO	IV
Adenosine phosphate			X
Vasodilators			
Bosentan	X		
Nesiritide			X
Nitrates		PO/ Transdermal	IV
Peripheral vasodilators			
Epoprostenol			
Sodium/Treprostinil Sodium	X		
Hydralazine Hydrochloride		PO	IV
Isoxsuprine Hydrochloride	X		
Papaverine Hydrochloride	X		
Iloprost	X		
Minoxidil			X
Peripheral vasodilators combinations		X	
Antiadrenergics/sympatholytics			
Beta-blockers		PO	IV

Alpha/beta adrenergics		PO	IV
Anti-adrenergic agents: centrally acting, peripherally acting		PO	IV
Renin angiotensin system antagonists		PO	IV
Antihypertensive combinations		X	
Agents for pheochromocytoma			X
Agents for hypertensive emergencies: Nitroprusside sodium; Diazoxide; Fenoldopam mesylate			X
Trimethaphan camsylate	X		
Antihyperlipidemic agents (<i>simvastatin, ezetimibe</i>)		X	
Antihyperlipidemic agents: combination agents (<i>includes simvastatin/ezetimibe combination products</i>)		X	
Omega-3 acid ethyl esters (<i>Omacor</i>)		X	
Vasopressors used in shock			X
EpiPen; EpiPen Jr <i>Hypersensitivity reactions; bronchospasm</i>		X	
Cardioplegic solutions	X		
Agents for Patent Ductus Arteriosus: including indomethacin			X
Sclerosing agents			X
Miscellaneous antianginal agents (<i>Ranexa</i>)			X
(5) CENTRAL NERVOUS SYSTEM AGENTS:	CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation required in the patient record)
CNS stimulants			
Analeptics:			
Caffeine			X
Doxapram HCl	X		
Modafinil (Provigil)			X
Amphetamines; Methylphenidate HCL;	X		

Anorexiant A physician must prescribe in accordance with medical board rules: http://www.med.ohio.gov/rules/current/11-04.htm	X		
Opioid analgesics			
opioids (non schedule II) DEA REGISTRATION REQUIRED		X	
Narcotic analgesic combinations: DEA REGISTRATION REQUIRED		X	
Narcotic Agonist-Antagonist Analgesics: DEA REGISTRATION REQUIRED		X	
Buprenex		X Analgesia only	
Analgesics: non-scheduled drugs		X	
Buprenorphine HCL and naloxone HCL (Suboxone) Sublingual TABLETS	X		
Buprenorphine HCL (Subutex) Sublingual TABLETS	X		
Central analgesics		X	
NSAIDs		X	
Miscellaneous Analgesics: Ziconotide	X		
Agents for migraine		X	
Antiemetic/antivertigo agents For Emend see below		X	
Aprepitant (Emend)			X
Antianxiety agents: Benzodiazepines; DEA REGISTRATION REQUIRED		X	
Miscellaneous antianxiety agents		X	
Meprobamate		X	
Antidepressants			
Tricyclic compounds		X	
Amoxapine		X	
Tetracyclic compounds; trazodone; Bupropion; venlafexine		X	
Nefazodone		X	
Serotonin & norepinephrine reuptake inhibitors (Cymbalta)		X	

SSRIs		X	
MAO inhibitors	X		
Antipsychotic agents:			
Clozapine; thioridazine; Mesoridazine			X
Phenothiazine derivatives; Thioxanthine derivatives; Phenylbutylpiperidine derivatives; Dihydroindolone derivatives; Dibenzapine derivatives; Benzisoxazole derivatives; Quinolinone derivative			X
Lithium			X
NMDA receptor antagonists (Namenda)		X	
Cholinesterase inhibitors		X	
Miscellaneous psychotherapeutic agents: DEA REGISTRATION WHERE APPLICABLE			
Chlordiazepoxide & amitriptyline; ergoloid mesylates (includes hydergine); sodium oxybate; olanzapine & fluoxetine HCl; perphenazine & amitriptyline		X	
Atomoxetine			X
Sedatives and hypnotics, nonbarbiturates WITH DEA WHERE APPLICABLE			
Imidazopyridines; ureides (Ambien)		X	
Tertiary acetylenic alcohols (ethchlorvynol)	X		
Piperidine derivatives: Glutethamide	X		
Benzodiazepines		X	
Chloralhydrate; paraldehyde			X
Propiomazine HCl			X
Dexmedetomidine HCl (Precedex)	X		
Melatonin receptor agonists (Rozerem)		X	
Eszopiclone (Lunesta)		X	
Pyrazolopyrimidine (Sonata)		X	
Non-prescription sleep aids		X	
Sedatives and hypnotics; barbiturates; non schedule II			

Long-acting			X
Intermediate-acting	X		
Short-acting	X		
Oral combinations	X		
General anesthetics: Barbiturates, gases, volatile liquids Includes Propofol	X		
Injectable local anesthetics		X	
Anticonvulsants *			
Hydantoins; succinimides; Sulfonamides *		x	* When prescribed as anticonvulsants these drugs must be physician initiated. For all other uses they are CTP holder may prescribe for all other approved uses.
Benzodiazepines *		x see notes under central nervous system agents	* When prescribed as anticonvulsants these drugs must be physician initiated. For all other uses they are CTP holder may prescribe for all other approved uses.
Carbamazepine; oxcarbamazepine; Magnesium sulfate ; acetazolamide *		x	* When prescribed as anticonvulsants these drugs must be physician initiated. For all other uses they are CTP holder may prescribe for all other approved uses.
Adjuvant anticonvulsants: Felbamate; Gabapentin; Lamotrigine; Pregabalin ; Levetiracetam; Primidone; Tiagabine; Topiramate; Valproic acid and derivatives *		x	* When prescribed as anticonvulsants these drugs must be physician initiated. For all other uses they are CTP holder may prescribe for all other approved uses.
Muscle relaxants – adjuncts to anesthesia	X		
Skeletal muscle relaxants			
Centrally-acting		X	
Direct-acting		X	
Combination		X	
Antiparkinson agents			
EMSAM (Selegiline transdermal system)			X

Cholinergic muscle stimulants			X
Antialcoholic		X	
Smoking deterrents		X	
Riluzole	X		
Physical adjuncts: chymopapain; hyaluronic acid derivatives			X
Poly-L-Lactic Acid	X		
Botulinum Toxin Type A	X		
Botulinum Toxin Type B			X
(6) DERMATOLOGIC AGENTS:	CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation required in the patient record)
Antihistamine preparations, topical		X	
Anti-infectives, topical		X	
Anti-inflammatory agents		X	
Anti-psoriatic agents			
Ammoniated mercury	X		
Anthralin; calcipotriene; selenium sulfide		X	
Methotrexate			X
Antiseborrheic products		X	
Counterirritants; destructive agents; drying agents		X	
Enzyme preparations			
Hyaluronidase		X	
Collagenase; topical enzyme combinations		X	
Immunomodulator, topical		X	
Keratolytic agents		X	
Liver Derivative Complex		X	
Local anesthetics, topical		X	
Minoxidil		X	
Photochemotherapy; pigment agents	X		
Poison ivy products, topical			
Pyrimidine antagonist, topical		X	
Pyrithione zinc		X	
Retinoids			
Adapalene		X	
First generation retinoids:			
Accutane	X		
Tretinoin topical		X	
Second generation retinoids:			
Acitretin	X		
Alitretinoin	X		

Tazarotene		X	
Scabicides/pediculicides		X	
Wound healing agents:		X	
Emollients; protectants; sunscreens; ointments and lotion bases; rubs and liniments		X	
Topical combinations, miscellaneous dressings and granules		X	
Irrigating solutions		X	
(7) DIAGNOSTIC AIDS:	CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation required in the patient record)
<i>In vitro</i> diagnostic aids		X	
<i>In vivo</i> diagnostic aids		X	
<i>In vivo</i> diagnostic biologicals		X	
Radiopaque agents		X	
(8) ENDOCRINE & METABOLIC AGENTS:	CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation required in the patient record)
Sex hormones			
Estrogens; Selective estrogen receptor modulator; progestins		X prophylactic use	
<i>Tamoxifen</i>			
<i>Fulvestrant</i>			
<i>Antineoplastic agents</i>	X		
Estrogens/Progestins combined		X	
Estrogen/androgen combinations		X	
Contraceptive hormones		X	
Ovulation stimulants			X
Gonadotropin-releasing hormones		X	
Androgens	X		
Danazol		X	
Androgen inhibitors		X	
Anabolic steroids	X		
Uterine-active agents			
Abortifacients	X		
Prostaglandins	X		
Carboprost tromethamine: Hemabate		X postpartum hemorrhage	

Agent for cervical ripening: Dinoprostone	X		
Oxytocics, including pitocin	X		
Uterine relaxants	X		
Bisphosphonates		X	
Pamidronate disodium injection	X		
Antidiabetic agents			
IV Insulin infusion			X
Insulins		X	
Inhaled insulin (<i>Exubera</i>)			X
Sulfonylureas		X	
Alpha-glucosidase inhibitors		X	
Amylin analog (<i>Symlin</i>)		X	
Incretin mimetic agents		X	
Biguanides: this category includes meglitinides		X	
Thiazolidinediones		X	
Dipeptidylpeptidase 4 (DPP4) inhibitors (<i>Januvia</i>)		X	
Glucose elevating agents		X	
Adrenocortical steroids			
Adrenal steroid inhibitors	X		
Corticotropins	X		
Glucocorticoids		X	
Mineral corticoids			X
Thyroid drugs			
Thyroid hormones		X	
Anti-thyroid agents			X
Parathyroid hormone			X
Insulin-like growth factor			X
Growth hormone	X		
Posterior pituitary hormones: <i>Includes DDAVP</i>	for diabetes insipidus and other indications	X (for primary nocturnal enuresis only)	
Vasopressin receptor antagonist			X
Octreotide acetate; imiglucerase; gallium nitrate	X		
Pegvisomant	X		
Laronidase	X		
Galsulfase	X		
Agalsidase beta	X		
Miglustat	X		
4-hydroxyphenylpyruvate dioxygenase inhibitor	X		
Alglucosidase alfa	X		
Calcitonin-salmon: nasal (osteoporosis)		X	
Calcitonin-salmon: injectable			X

Calcium receptor agonist (Sensipar)			X
Sodium phenylbutyrate; Betaine anhydrous; Cysteamine bitartrate	X		
Sodium benzoate; sodium phenylacetate	X		
Cabergoline	X		
Bromocriptine mesylate		X	
Agents for gout		X	
Emergency kits		X	
DETOXIFICATION AGENTS			
Antidotes: (includes Naltrexone) includes sodium nitrite; pentatate calcium trisodium			X
(9) GASTROINTESTINAL AGENTS:	CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation required in the patient record)
<i>Helicobacter pylori</i> agents		X	
Histamine H2 antagonists		X	
Proton pump inhibitors		X	
Sucralfate		X	
Prostaglandins		X	
Antacids		X	
Gastrointestinal anticholinergics/antispasmodics		X	
Mesalamine; Olsalazine sodium; sulfasalazine		X	
Infliximab			X
Lubiprostone		X	
Laxatives		X	
Antidiarrheals		X	
Antiflatulents		X	
Lipase inhibitors: Xenical, Orlistat		X	
GI stimulants		X	
Digestive enzymes		X	
Miscellaneous digestive products; gastric acidifiers; hydrocholeretics		X	
Gallstone solubilizing agents			X
Mouth and throat products		X	
Systemic deodorizers		X	
Anorectal preparations		X	

(10) HEMATOLOGICAL AGENTS:	CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation required in the patient record)
Hematopoietic agents			
Epoetin alfa; Darbepoetin			X
Colony-stimulating factors Filgrastim; Pegfilgrastim	X		
Interleukins (Neumega)	X		
Antiplatelet agents			
Anagrelide HCL; dipyridamole; dipyridamole & aspirin		X(po)	
Glycoprotein inhibitors			X
Aggregation inhibitors (eg. Plavix)		X(po)	
Aggregation inhibitor/Vasodilator: Trepstinil sodium (Remodulin)	X		
Anticoagulants:			
Low molecular wt heparin; heparin; antithrombin agents; thrombin inhibitors			X
Warfarin		X	
Selective factor Xa Inhibitor (Arixtra)	X		
Coagulants: heparin antagonis (protamine sulfate)			X
Thrombolytic agents	X		
Antisickling agents (Droxia)	X		
Hemorrhologic agents	X		
Antihemophilic agents	X		
Antihemophilic factor combinations	X		
Hemostatics		X topical	
Plasma expanders			X
Albumin			X
Hemin	X		
(11) NUTRIENTS & NUTRITIONAL AGENTS:	CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation required in the patient record)
Note:			
Vitamins, minerals (includes magnesium sulfate), trace elements		X(PO)	refer to definitions page X (parenteral)

Electrolytes		X(PO)	X (parenteral)
Systematic alkalinizers		X(PO)	X (parenteral)
Amino acids		X(PO)	X (parenteral)
Lipotropic products, fish oils		X(PO)	X (parenteral)
Enzymes		X(PO)	X (parenteral)
Oral nutritional supplements; nutritional combination products		X(PO)	
Enteral nutritional therapy, hyperalimentation			X
Intravenous nutritional therapy: protein substrates, caloric intake, lipids, vitamins (parenteral), minerals, electrolytes, trace metals TPN			X
IV replenishment solutions			
<i>Saline solutions:</i> with & without dextrose		X	
<i>Lactated ringers solutions:</i> with & without dextrose		X	
IV solutions: D5 as diluent		X	
IV solutions: D10 as diluent		X	
Chelating agents: succimer; trientine HCL and see Section 3: Endocrine & Metabolic Agents for other chelating agents	X (parenteral)		X(PO)
Dialysis solutions			
Peritoneal dialysis			X
Hemodialysis			X
(12) OPHTHALMIC & OTIC AGENTS: (TOPICAL)	CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation required in the patient record)
Agents for glaucoma			X
Non-steroidal anti-inflammatory agents (NSAIDs)			X
Corticosteroids	X		
Cycloplegic Mydriatics		X	
Mast cell stabilizers		X	
Ophthalmic decongestant agents		X	
Antibiotics		X	
Steroid antibiotic combinations		X	
Sulfonamides		X	
Steroid sulfonamide combinations		X	

Ophthalmic antiseptics	X		
Ophthalmic antifungals	X		
Antiviral agents	X		
Immunologic agents			
Cyclosporine ophthalmic emulsion (Restasis)			X
Selective vascular endothelial growth factor antagonist	X		
Ocular lubricants; artificial tears		X	
Ophthalmic punctal plugs	X		
Ophthalmic collagen implants	X		
Ophthalmic hyperosmolar preparations	X		
Contact lens products		X	
Ophthalmic local anesthetics: Includes <i>tetracaine, proparacaine, & miscellaneous combinations (include fluoracine)</i>		X	
Ophthalmic diagnostic products: <i>Includes fluorescein strips</i>		X	
Ophthalmic surgical adjuncts	X		
Ophthalmic phototherapy	X		
Ophthalmic non-surgical adjuncts		X	
Otic preparations		X	
(13) RENAL & GENITOURINARY AGENTS:	CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation required in the patient record)
Interstitial cystitis agents		PO	NON PO
Cellulose sodium phosphate		PO	NON PO
Impotence agents		PO	NON PO
Acetohydroxamic acid		PO	NON PO
Genitourinary irrigants		PO	NON PO
Cystine-depleting agents		PO	NON PO
Urinary alkalinizers		PO	NON PO
Urinary acidifiers		PO	NON PO
Anticholinergics		PO	NON PO
Urinary cholinergics		PO	NON PO
Phosphate Binders		PO	NON PO
Polymeric Phosphate Binders		PO	NON PO
Vaginal preparations; miscellaneous vaginal preparations; douche products		X	
Contraceptive aids		PO	NON PO

Diuretics		PO	NON PO
(14) RESPIRATORY AGENTS:	CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation required in the patient record)
Bronchodilators		PO/INHALED	
Leukotriene receptor antagonists		PO/INHALED	
Leukotriene formation inhibitors		PO/INHALED	
Monoclonal antibodies: Omalizumab (Xolair)	X		
Respiratory inhalant products		X	
Respiratory inhalant combinations		X	
Nasal decongestants		X	
Respiratory enzymes			X
Lung surfactants			X
Antihistamines		X	
Narcotic antitussives		X	
Nonnarcotic antitussives		X	
Expectorants		X	
Respiratory combination products		X	
Antiasthmatic combinations		X	
Upper respiratory combinations		X	
(15) OTHER:	CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation required in the patient record)
Blood products: including PRBC, FFP <i>An APN with or without prescriptive authority may order blood products within their scope of practice AND consistent with their standard care arrangement (SCA).</i>			X
Plasma expanders			X
IV replenishment solutions			
Saline solutions: with & without dextrose		X	
Lactated ringers solutions: with & without dextrose		X	
IV solutions with D5 as diluent		X	