

## HEALTH ALERT

# Coronavirus Disease 2019 (COVID-19): Updated Guidance for Testing

June 11, 2020

Update from Health Alert about testing procedures released June 3, 2020

### Summary and Action Items

- The Ohio Department of Health (ODH) has issued updated COVID-19 testing guidance. This guidance applies to all COVID-19 testing in the State of Ohio.
- As of June 11, testing may be made available to individuals described in all Priority groups: 1, 2, 3, 4, and 5.
- ODH continues to provide testing for symptomatic individuals in Priority 1 and Priority 2 at the ODH Public Health Laboratory (ODHL).

### Updated COVID-19 Testing Guidance

The Centers for Disease Control and Prevention (CDC) has established [priority groups for testing](#). Ohio has modified these groups to meet the specific needs of our state considering changes in testing availability and evolving knowledge of COVID-19 and its impact on Ohioans. The state continues to emphasize testing of patients who are most severely ill, patients who are moderately ill with a high risk of complications – such as those who are elderly and those with serious medical issues – and individuals who are critical to providing care and service to those who are ill. Expanded test availability allows individuals in lower risk tiers to be tested and help to further contain and respond to COVID-19 in Ohio. COVID-19 hospital preparedness zones/regions and community-based coalitions will work together to ensure equitable implementation of effective testing strategies that align with Ohio’s cohesive statewide plan.

Testing is only one component of response to COVID-19. The role of testing is to quickly identify individuals infected with COVID-19, promptly isolate them and trace and quarantine any contacts to minimize spread of the virus to others. Testing does not change treatment in any way, nor does it replace comprehensive infection control and prevention activities.

As of June 11, testing may be made available to individuals described in **Priorities 1, 2, 3, 4, and 5**.

Providers should work with their regional hospital leads on issues related to testing and use hospital labs and private labs preferentially. The regional leads in collaboration with ODH will be assessing laboratory capacity and assessing supplies on hand to ensure each region is maximizing their testing capacity. All specimens referred to ODHL require approval of the ODH Bureau of Infectious Diseases for processing and will focus on symptomatic patients in Priorities 1 and 2.

**Priority 1** is to ensure optimal and safe care for all hospitalized patients, lessen the risk of hospital-incurred infections, and ensure staff safety. Individuals in Priority 1 testing include:

- Hospitalized patients with symptoms.
- Healthcare workers with symptoms. This includes behavioral health providers, home health workers, nursing facility and assisted living employees, emergency medical technicians (EMTs), housekeepers and others who work in healthcare and congregate living settings.<sup>1</sup>

**Priority 2** is to ensure that people at highest risk of complications from COVID-19 and those who provide essential public services are rapidly identified and appropriately prioritized in accordance with the [CDC's May 19 guidance](#) for testing in nursing homes.<sup>2</sup> Individuals in Priority 2 testing include:

- Residents of long-term care facilities and other congregate living settings<sup>1</sup> who are symptomatic.
- Residents and staff of long-term care facilities and congregate living settings<sup>1</sup> who are asymptomatic with potential exposure to COVID-19 when a case is detected in a facility. The purpose of testing individuals who are exposed and asymptomatic is to facilitate more specific isolation and quarantine within the congregate living setting to reduce the risk of virus transmission to other residents.<sup>3</sup> In these cases, the extent of testing will be determined by the local health department in consultation with the facility medical director or other clinical leadership.
- Patients 65 years of age and older with symptoms.
- Patients with underlying conditions with symptoms.
  - Consideration should be given for testing racial and ethnic minorities with underlying illness as they are disproportionately affected by adverse COVID-19 outcomes.
- First responders, public health workers, and [critical infrastructure workers](#) with symptoms.
- Other individuals or groups designated by public health authorities to evaluate and manage community outbreaks, including those within workplaces and other large gatherings.

**Priority 3** is to test individuals with and without symptoms in implementing healthcare services across all healthcare settings. The purpose of Priority 3 testing is to minimize risk of post-procedure complications and transmission of COVID-19. Individuals in Priority 3 testing include:

- Individuals receiving essential surgeries and procedures, including those who were reassessed after a delay.
- Individuals receiving all other medically necessary procedures.
- Individuals receiving non-essential/elective surgeries and procedures, effective June 2.

**Priority 4:** Individuals in the community to decrease community spread, including individuals with symptoms who do not meet any of the above categories.

**Priority 5:** Asymptomatic individuals not mentioned above.

Footnotes:

<sup>1</sup> Congregate living settings are those where more than six people reside with a propensity for rapid person-to-person spread, including but not limited to: assisted living facilities, nursing facilities, Ohio Veterans Homes, residential mental health and substance use treatment facilities, psychiatric hospitals and group home settings, developmental centers, intermediate care facilities and group homes for individuals with intellectual disabilities, facilities operated by the Ohio Department of Youth Services, facilities operated by the Department of Rehabilitation and Corrections, homeless and domestic violence shelters, and jails.

<sup>2</sup> The CDC's May 19 "[Testing Guidance for Nursing Homes](#)" states: when one case is detected in a nursing home, there are often other residents and healthcare personnel who are infected with SARS-CoV-2 and can continue to spread the infection, even if they are asymptomatic. Testing all residents and healthcare personnel as soon as there is a new confirmed case in the facility will identify infected individuals quickly to allow rapid implementation of infection prevention and control interventions (e.g., isolation, cohorting, use of personal protective equipment). If testing capacity is limited, CDC suggests directing testing to residents and healthcare personnel on the same unit or floor of a new confirmed case. If testing all residents on the same unit or floor is also not possible, CDC suggests directing testing to symptomatic residents and healthcare personnel and residents who have known exposure to a case (e.g., roommates of cases or those cared for by a known positive healthcare worker).

<sup>3</sup> Following testing for this group:

- Exposed but asymptomatic residents who test negative still should be quarantined for 14 days and monitored for symptoms, as they could test positive later during the 14-day incubation period.
- Exposed but asymptomatic staff who test negative should be assessed to determine need for quarantine and symptom monitoring based on CDC's "[Interim U.S. Guidance for Risk Assessment and Work Restrictions for Healthcare Personnel with Potential Exposure to COVID-19](#)". They may be permitted to work, adhering to CDC's "[Strategies to Mitigate Healthcare Personnel Staffing Shortages](#)".
- Exposed but asymptomatic staff who test positive should remain off work for ten (10) days following the date of the test, assuming they remain asymptomatic. Under certain circumstances they may be permitted to work, adhering to CDC's "[Strategies to Mitigate Healthcare Personnel Staffing Shortages](#)".

### **Contact**

Report all confirmed or probable cases of COVID-19 within 24 hours of case identification to the local health department in the jurisdiction in which the case resides. To locate a local health department, please visit <https://odhgateway.odh.ohio.gov/lhdinformationsystem/Directory/GetMyLHD>.

For general questions related to COVID-19, healthcare providers and facilities should contact their local health department. Ohio local health departments should contact the ODH Bureau of Infectious Diseases at 614-995-5599.

***For testing at ODH Laboratory, contact the ODH Bureau of Infectious Diseases at 614-995-5599 and complete the ODH Microbiology Specimen Submission Form (attached) for each specimen.***

### **Attachments**

- COVID-19 Testing in Ohio Graphic (June 2, 2020)
- Sample Microbiology Specimen Submission Form